

Culture Media „B”

Culture media	Ref.No.	Packaging	type /volume
Bacillus Cereus Agar base (Mannitol Yolk Polymyxin – M.Y.P) For the selective isolation of <i>Bacillus cereus</i> from food. Supplements: Polymyxin B (Ref.No. X193), Egg yolk (Ref.No. X073)	265 3065	powder bottle	500 g 500, 200, 100 ml
Bacillus Cereus Agar according to EN ISO 7932 Mannitol Yolk Polymyxin – (M.Y.P) For the selective isolation of <i>Bacillus cereus</i> from food.	8041	plate	90 mm
BBE Agar (Bacteroides Bile Esculin Agar) For the isolation of <i>Bacteroides fragilis</i> group.	1039	plate	90 mm
Baird Parker Agar base For the selective isolation and enumeration of <i>Staphylococcus aureus</i> from food. Supplements: Egg yolk tellurite (Ref.No. X085)	131 3082	powder bottle	500 g 500, 200, 100 ml
Baird Parker Agar For the selective isolation and enumeration of <i>Staphylococcus aureus</i> from food.	1320	plate	90 mm
Baird Parker Agar + RPF supplement (90 ml + 10 ml) according to ISO 6888-2 Baird Parker Agar + RPF supplement according to EN ISO 6888-2 For the selective isolation and enumeration of <i>Staphylococcus aureus</i> from food.	3226 1321	bottle plate	90 + 10 ml 90 mm
BCYE Agar (Charcoal Yeast Extract Agar) according to ISO 11731 For the isolation of <i>Legionella spp.</i>	8049	plate	90 mm
BCYE without cysteine (Charcoal Yeast Extract Agar) according to ISO 11731 For the isolation of <i>Legionella spp.</i>	8050	plate	90 mm
Bile Esculin Azide Agar according to ISO 7899 For the selective isolation and enumeration of <i>Enterococcus spp.</i> in water by the membrane filtration technique.	8028 1528	bottle plate	500, 200, 100 ml 90 mm
Bile Esculin Agar according to ISO 10273 For the selective isolation of <i>Yersinia enterocolitica</i> on the basis of esculin fermentation.	1346	plate	90 mm
Bismuth Sulphite Agar (Wilson Blair) For the selective isolation <i>Salmonella spp.</i>	102 1040	powder plate	500 g 90 mm

Blood Agar base	103	powder	500 g
For use with blood for the cultivation of a wide variety of fastidious microorganisms. <i>Supplements: Sheep blood (Ref.No. 1000)</i>	3011	bottle	500, 200, 100 ml
Blood Agar with 5% sheep blood	1110	plate	90 mm
For the cultivation of a wide variety of fastidious microorganisms.			
Bolton Broth (Campylobacter Enrichment Broth base)	289	powder	500 g
For the selective enrichment of <i>Campylobacter spp.</i> <i>Supplements: C.V.T.C (Cefoperazone, Vancomycin, Trimethoprim, Cycloheximide)</i> <i>(Ref.No. X131)</i>			
Brain Heart Infusion Agar (BHI Agar)	106	powder	500 g
For the cultivation of a wide variety of fastidious microorganisms.	3023	bottle	500, 200, 100 ml
	1168	plate	90 mm
Brain Heart Infusion Agar with 5% sheep blood	1160	plate	90 mm
For the cultivation of a wide variety of fastidious microorganisms.			
Brain Heart Infusion Agar with gentamycin (128 mg/l)	1133	plate	90 mm
For the selective isolation of <i>Enterococcus spp.</i> with high-level aminoglycoside resistance.			
Brain Heart Infusion Agar with gentamycin (500 mg/l)	1163	plate	90 mm
For the selective isolation of <i>Enterococcus spp.</i> with high-level aminoglycoside resistance.			
Brain Heart Infusion Agar with teicoplanin (10 mg/l)	1165	plate	90 mm
For selective isolation of <i>Staphylococcus spp.</i> with high-level teicoplanin resistance.			
Brain Heart Infusion Agar with vancomycin (4 mg/l)	1162a	plate	90 mm
For selective isolation of <i>Staphylococcus spp.</i> with high-level vancomycin resistance.			
Brain Heart Infusion Agar with vancomycin (8 mg/l)	1189	plate	90 mm
For the selective isolation of <i>Enterococcus spp.</i> with high-level vancomycin resistance.			
Brain Heart Infusion Agar with vancomycin (6 mg/l)	1162	plate	90 mm
For the selective isolation of <i>Enterococcus spp.</i> with high-level vancomycin resistance.			
Brain Heart Infusion Agar with streptomycin (1024 mg/l)	1134	plate	90 mm
For the selective isolation of <i>Enterococcus spp.</i> with high-level aminoglycoside resistance.			
Brain Heart Infusion Agar with streptomycin (2000 mg/l)	1164	plate	90 mm
For the selective isolation of <i>Enterococcus spp.</i> with high-level aminoglycoside resistance.			
Brain Heart Infusion Agar with kanamycin (512mg/l)	1135	plate	90 mm
For the selective isolation of <i>Enterococcus spp.</i> with high-level aminoglycoside resistance.			

Brain Heart Infusion Agar with potassium tellurite For the isolation and differentiation of <i>Enterococcus spp.</i>	1186	plate	90 mm
BHI Broth (Brain Heart Infusion Broth) For the enrichment of fastidious microorganisms.	105 3022 6020	powder bottle tube	500 g 500, 200, 100 ml 5 ml
Brilliant Green Agar Modified (BGA) For the selective isolation of <i>Salmonella spp.</i>	209 1360	powder plate	500 g 90 mm
Brilliant Green Bile Broth (2 %) For the selective enrichment of coliform bacteria in water, food and dairy products.	133 6314	powder tube	500 g 5 ml
Brilliant Green Bile Broth (2 %) with MUG For the selective enrichment of coliforms and the fluorogenic detection of <i>Escherichia coli</i> .	218 6009	powder tube	500 g 5 ml
Bromocresol Purple Lactose Broth For the biochemical differentiation of microorganisms on the basis of lactose fermentation.	3125 6128	bottle tube	500, 200, 100 ml 3 ml
Brucella Agar base For the isolation of <i>Brucella spp.</i> and other fastidious microorganisms. <i>Supplements: Horse blood (Ref.No. 1002)</i>	205 3026	powder bottle	500 g 500, 200, 100 ml
Brucella Agar with 5% horse blood For the cultivation of <i>Brucella spp.</i> and other fastidious microorganisms including <i>Streptococcus pneumoniae</i> , <i>Streptococcus viridans</i> , <i>Neisseria meningitidis</i> .	1033	plate	90 mm
Brucella Broth For the enrichment of <i>Brucella spp.</i> and other fastidious microorganisms.	215 3027 6095	powder bottle tube	500 g 500, 200, 100 ml 5 ml
Buffered Listeria Enrichment Broth For the selective enrichment of <i>Listeria spp.</i> within 24h.	3137	bottle	225 ml
Buffered Peptone Water For the enrichment of <i>Salmonella spp.</i> from food.	162 3043 6019	powder bottle tube	500 g 500, 200, 100 ml 5, 9 ml
Burkholderia Cepacia Agar base For the selective isolation of <i>Burkholderia cepacia</i> . <i>Supplements: Ticarcilin, Polymyxin (Ref.No. X140)</i>	221 3222	powder bottle	500 g 200 ml
Burkholderia Cepacia Agar For the selective isolation of <i>Burkholderia Cepacia</i> .	1016	plate	90 mm